How To Rearrange the icons on your iPod

What you need:

iPod touch 8/16 GB, PowerPC or Intel Mac (if you have a PC I'll help you personally just email me), Wi-Fi connections for iPod and Computer, USB iPod connector

Step 1.

Download Cyberduck, an application that will allow you to view and edit the items on your iPod.

Cyberduck | FTP for Mac OS X.



Step 2.

Download Pref Setter an application that will allow you to easily edit and rearrange items on your iPod.

http://www.apple.com/downloads/macosx/system_disk_utilities/prefsetter.html



Step 3.

Open Cyberduck

Step 4.

Connect your iPod touch, make sure iTunes is CLOSED

Step 5.

Click the open connection button on the top left side of Cyberduck

00	Cyberduck			0
	• • •	?		
Open Connection Bookmarks Quick	Connect Action	Refresh Edit		Disconnect
			÷ 🔺 Q	
Filename	▲ Size	Modified		
				<u> </u>

Step 6.

Change the protocol to SFTP (SSH Secure File Transfer)

0 \varTheta 🖯		Cyberduck	\bigcirc
(Brotoco (ETD (File Transfer Protocol)	
Open Connection Bo		FTP (File Transfer Protocol)	Disconnect
	Server	SETP (SSH Secure File Transfer)	
	URL:		
Filename	Username: ju	osephpuccio	
	Password:		
	E	Anonymous Login	
	E	Add to Keychain	
	-	Cancel	
	▼ More Options		
	Path:		
	Connect Mode:	Default	
	Encoding:	Default	
		Use Public Key Authentication	
	-	No Private Key selected	
			1.
			<u> </u>

Step 7.

Go to the settings icon on your iPod Touch, tap Wi-Fi, tap the blue arrow to the right of the network you are connected to (your computer and iPod should be connected to the SAME network), find the IP Address and type that into server.

000	Cyberduck	\bigcirc
	Protocol: SFTP (SSH Secure File Transfer)	
Open Connection Boo	Protocol: SFTP (SSH Secure File Transfer) Server: 192.168.1.109 Port: 22 URL: sftp://josephpuccio@192.168.1.109:22 Username: josephpuccio Password: Anonymous Login Add to Keychain Cancel Connect More Options Path: Connect Mode: Default Encoding: Default Use Public Key Authentication No Private Key selected	

Step 8.

Leave the port alone, it should already say port 22 but type it in if it doesn't

Step 9.

For Username type root.

000	Cyberduck	\bigcirc
	Protocol: SFTP (SSH Secure File Transfer)	
Filename	Server: 192.168.1.109 Port: 22 URL: sftp://root@192.168.1.109:22	Disconnect
	Password: Anonymous Login	
	Cancel Connect More Options	
	Path: Connect Mode: Default	_
	Encoding: Default	

Step 10.

For password type alpine, just like that all lower case

alpine

Step 11.

Tap CONNECT, it took me exactly 30 seconds, if it takes you more than 4 minutes tap stop and start over.

Step 12.

You should see something like this:



Step 13.

Change the folder from /private/var/root to just /

	sftp:root@192.168.1.1	09	0
	• • • •		
Open Connection Bookmarks Quick Conne	ct Action Refre	sh Edit	Disconnect
/private/var/root			
Filename 📁 /private/var			
▶ 📁 bin 🛛 🗊 / private			PM
▶ 📁 Librar 📃 /			PM
Media	23	S B 11/4/07 10:0	II PM
C Media_sym		LB 10/30/07 4:5	4 PM
4 files			<u>a</u> //

Step 14.

You should see this:

0) 😝	💰 sftp:r	oot@192.10	58.1.109		\Box
		•	* -	$\mathbf{\Omega}$		
Open	Connection Bookmarks	Quick Connect	Action	Refresh	Edit	Disconnect
	▶) (■ /				; 🔺 Q	\square
ilenam	ie		▲ Size		Modified	
Þ 📁	Applications			714 B	11/4/07 8:28 PM	
Þ 📁	bin			1.1 KB	10/31/07 10:27 PM	
🔰	cores			68 B	9/19/07 2:42 AM	
▶ 📁	DCIM			68 B	10/30/07 4:59 PM	
▶ 📜	dev			583 B	11/4/07 7:09 PM	
►C	etc			11 B	9/21/07 6:11 PM	
Þ	Library			340 B	9/21/07 6:11 PM	
C	mach			11 B	9/21/07 6:11 PM	
	private			136 B	10/30/07 4:49 PM	
	sbin			578 B	10/31/07 10:27 PM	
	System			102 B	9/21/07 5:42 PM	
	temp			170 B	10/30/07 4:59 PM	
►C	tmp			15 B	9/21/07 6:11 PM	_
	usr			238 B	9/21/07 6:08 PM	
► <i>C</i>	var			11 B	9/21/07 6:11 PM	
1	5 files					<u>a</u> //

Step 15.

Go to the System folder

$\Theta \Theta \Theta$	sftp:root@192.168.1.109		0
	• • • •		
Open Connection Bookmarks Quick Conn	ect Action Refresh	Edit	Disconnect
		; 🔺 Q	\square
Filename	▲ Size	Modified	
▶	714 B	11/4/07 8:28 PM	
▶ 📁 bin	1.1 KB	10/31/07 10:27 PM	
▶ 📁 cores	68 B	9/19/07 2:42 AM	
► 📁 DCIM	68 B	10/30/07 4:59 PM	
▶ 📁 dev	583 B	11/4/07 7:09 PM	
► C etc	11 B	9/21/07 6:11 PM	
▶ 📁 Library	340 B	9/21/07 6:11 PM	
C mach	11 B	9/21/07 6:11 PM	
▶ 📁 private	136 B	10/30/07 4:49 PM	
▶ 📁 sbin	578 B	10/31/07 10:27 PM	
▶ 💭 System	102 B	9/21/07 5:42 PM	
▶ 🕖 temp	170 B	10/30/07 4:59 PM	
► C tmp	15 B	9/21/07 6:11 PM	
▶ 📁 usr	238 B	9/21/07 6:08 PM	
►C var	11 B	9/21/07 6:11 PM	
15 files			<u>a</u> /

Step 16.

Go to the Library folder



17.

Go to the CoreServices folder

00	💰 sftp:	root@192.1	68.1.109		\bigcirc
		*	9		
Open Connection Bookmarks	Quick Connect	Action	Refresh	Edit	Disconnect
 System/Libra 	ry			; 🔺 🤇	
ilename		▲ Size		Modified	
▶ 📁 ApplePTP			102 B	9/21/07 5:43 PM	
AppleUSBDevice			102 B	9/21/07 5:43 PM	
▶ 📁 Audio			102 B	9/21/07 5:43 PM	
▶ 📁 Caches			102 B	9/21/07 3:56 PM	
CoreServices			238 B	9/21/07 6:12 PM	
Extensions			306 B	9/21/07 6:12 PM	
▶ 📁 Filesystems			102 B	9/21/07 5:27 PM	
▶ 📁 Fonts			1.6 KB	8/31/07 1:34 PM	
▶ 🗊 Frameworks			1.7 KB	10/30/07 4:56 PM	
▶ 🗊 Internet Plug–Ins			136 B	10/30/07 5:02 PM	
KeyboardDictionaries			748 B	9/19/07 6:56 AM	
▶ 🗊 LaunchDaemons			680 B	11/2/07 8:58 PM	
Iockdown			510 B	9/21/07 5:41 PM	
PreferenceBundles			510 B	10/30/07 4:56 PM	
PrivateFrameworks			204 B	9/21/07 6:12 PM	
SystemConfiguration			510 B	9/21/07 6:12 PM	
VideoDecoders			136 B	9/21/07 6:08 PM	

17 files

<u>a</u> //

18.

Go to the Springboard.app folder

000		🧉 sftp	:root@192.1	68.1.109		0
			* -	$\mathbf{\Omega}$		
Open Connection	Bookmarks	Quick Connect	Action	Refresh	Edit	Disconnect
	/System/Libra	ry/CoreServices			÷ 🔺	9
Filename			▲ Size		Modified	
🗋 DumpPanic				27.5 KB	9/21/07 5:41 PM	
Encodings				544 B	9/21/07 5:27 PM	
mDNSRespor	nder.bundle			102 B	9/21/07 5:37 PM	
SpringBoard.	арр			5.8 KB	11/2/07 7:53 AM	
SystemVersic	on.plist			469 B	9/21/07 5:24 PM	
F 61						
5 files						📛 //.

Now you will see a large list of .png files, ignore them all, and type in the search bar on the top right

N45AP.plist

8.1.109			\bigcirc
5		4	
Refresh	Edit	Discon	nect
>		🗘 🔺 🔍 N45AP.plist	8
	Modified		
2.2 KB	3 11/3/07 1	2:55 AM	
			- 1

20.

This is what should pop up:

00		🧉 sft	p:root@192.1	68.1.109			\bigcirc
				$\mathbf{\Omega}$			
Open Connection	BOOKMARKS	Quick Connect	Action	Refresh	Edit	Discon	nect
	/System/Librar	y/CoreServices/S	pringBoard.ap	р	•	A Q N45AP.plist	\otimes
ilename			▲ Size		Modified		
N45AP.plist				2.2 KB	11/3/07 12:55 AM	1	

19.

Now double tap it and it will start to download to your desktop

$\Theta \Theta$	0			Transfers		\bigcirc
Resume	Reload	Stop	Remove	Clean Up	Open	<u> </u>
₽	N45AP.plist					•
	OBof() B – Op	ening SSH	l connection to 192.168.1.	109	
0	I	IRL: sf	tn://root@	192.168.1.109.22		
	Local F	ile: /L	Jsers/josep	hpuccio/Desktop/N45AP.plis	t 🔘 🔽 5),

21.



The download does not take that long, after it downloads it should pop up on your desktop

Now hold control and click it, open it with Pref Setter

	Open ant La
🗊 Property List Editor (default)	Open With
🧖 Omeri Outlinen	Print
S OmniOutliner	Get Info
Pref Setter	Move to Trash
Other	Duplicate
	Make Alias
	Create Archive of "N45AP.plist" aword
	Copy "N45AP.plist"
	Color Label:
	x • • • • • • • • • • • • • • • • • • •
	GraphicConverter
	Automator
	Disable Folder Actions
	Configure Folder Actions
	N45AP.plis

Now it should look like this:

🧯 Pref Setter File Edit View Actions Window	Help	奈 🖇 🜒 🔳 Sun 11:59 PM 🍳
€ € €	N45AP.plist	0
Actions 🔽 🚫		Q Search Keys / Values
Actions Delete		Search
N45AP.plist		
Key	Class Value	
▶ bundles	Array 0 Items	
▶ capabilities	Dictionary 🗘 1 Key	
▶ displayOrder	Dictionary 🗘 3 Keys	
		1.

24.

Click the arrow next to display order

🗧 🧉 Pref Setter File Edit View Actions Window Help	ý *	🕅 🛋 Mon 12:00 AM 🔇
	N45AP.plist	
Actions 🔽 🚫		Q Search Keys / Values
Actions Delete		Search
N45AP.plist		
Key	Class Value	
▶ bundles	Array 🛟 0 Items	
▶ capabilities	Dictionary 👌 1 Key	
▼ displayOrder	Dictionary 3 Keys	
▶ buttonBar	Array 4 Items	
▶ iconList	Array 13 Items	
▶ special	Array 2 Items	



25.

Ok, so the button bar is what's on your dock, that would be Music, Videos, Photos, and then Music Store. And Icon list is the springboard (the other applications). So what you need to do is add any identifiers you don't have. So what that means is making the plist know what is what. Like for instance if you have Jailbreaked your iPod and added all of the iPhone apps: Mail, Stocks ect. You need to add the display identifiers for those because all the iPod will start out by seeing is what it came with. So this is how you add display identifiers:

1.

Highlight by single clicking the icon list tab, click actions and add new dictionary

00	N45AP.plist	0
Actions 🔽 🚫		Q Search Keys / Values
Add New Dictionary 第D		Search
K Add New Key #K	Class Value	
Sort 発T	Array 🛟 0 Items	ĥ
▶ capabilities	Dictionary 🛟 1 Key	
▼ displayOrder	Dictionary 🛟 3 Keys	
▶ buttonBar	Array 🛔 4 Items	
viconList	Array 13 Items	
▶ Item 1	Dictionary 🛟 1 Key	
▶ Item 2	Dictionary 🛟 1 Key	
▶ Item 3	Dictionary 🛟 1 Key	
▶ Item 4	Dictionary 🛟 1 Key	
▶ Item 5	Dictionary 🛟 1 Key	
▶ Item 6	Dictionary 🛟 1 Key	
▶ Item 7	Dictionary 🛟 1 Key	
▶ Item 8	Dictionary 🛟 1 Key	
▶ Item 9	Dictionary 🛟 1 Key	
▶ Item 10	Dictionary 🛟 1 Key	
▶ Item 11	Dictionary 🛔 1 Key	
▶ Item 12	Dictionary 🛔 1 Key	, i i i i i i i i i i i i i i i i i i i
		1

Once you add the new dictionary you will have Item then then a number, highlight the item you just created and then go to actions and say new key

● ● ●	N45AP.plist	0
Actions 🔽 🚫		Q Search Keys / Values
Add New Dictionary #D		Search
Add New Array ①第D Add New Key 第K		
	Class Value	
Soft #1	Array 🛟 14 Items	
▶ Item 1	Dictionary 🛟 1 Key	
▶ Item 2	Dictionary 🐥 1 Key	
▶ Item 3	Dictionary 💠 1 Key	
▶ Item 4	Dictionary 💠 1 Key	
▶ Item 5	Dictionary 🛟 1 Key	
▶ Item 6	Dictionary 🛟 1 Key	
▶ Item 7	Dictionary 🛟 1 Key	
▶ Item 8	Dictionary 🛟 1 Key	
▶ Item 9	Dictionary 🛟 1 Key	
▶ Item 10	Dictionary 🛟 1 Key	
▶ Item 11	Dictionary 🛟 1 Key	
▶ Item 12	Dictionary 🛟 1 Key	
▶ Item 13	Dictionary 💠 1 Key	
w Item 14	Dictionary 🗘 1 Key	
New Key	String	
▶ special	Array 🛟 2 Items	Ŧ

Now where it has the highlighted text and says New Key type:

displayIdentifier

00		N45AP.plist			\bigcirc
Actions 🔻	0			Q Search Keys / Values	\supset
Actions	Delete			Search	
N45AP.pl	ist	Class	Value		
Key		Class	value		Å
▼iconList		Array	14 Items		
► Item 1		Dictionary	🕇 1 Key		
► Item 2		Dictionary	🕈 1 Key		
► Item 3		Dictionary	🕈 1 Key		
► Item 4		Dictionary	🗘 1 Key		
► Item 5		Dictionary	🕈 1 Key		
► Item 6		Dictionary	🕇 1 Key		
► Item 7		Dictionary	🕇 1 Key		
► Item 8		Dictionary	🕇 1 Key		
► Item 9		Dictionary	🕇 1 Key		
► Item 10		Dictionary	🕇 1 Key		
► Item 11		Dictionary	🕇 1 Key		
► Item 12		Dictionary	🕇 1 Key		
► Item 13		Dictionary	🕇 1 Key		
▼Item 14		Dictionary	🕇 1 Key		
display	Identifier	String	÷		
▶ special		Array	2 Items		•

Now here's the tricky part, what you are doing now is modifying what your iPod uses to order around it's icons, so you're not going to see an immediate change on your iPod because you're just modifying the one of your computer. So what you need to do is under the other typing space:



Type what you do not see in your items, so go through your items and click each arrow and look at what you have, so if you know you have an icon on your iPod touch but you can't see it on this .plist then you need to add it.

So in the second place for space type the identifier you don't have here is a list:

Calculator:	com.apple.calculator
Calendar:	com.apple.mobilecal
Clock:	com.apple.mobiletimer
Contacts:	com.apple.MobileAddressBook
Music:	com.apple.mobileipod-AudioPlayer
Videos:	com.apple.mobileipod-VideoPlayer
iTunes Store:	com.apple.MobileStore
Maps:	com.apple.Maps
Mail:	com.apple.mobilemail
Notes:	com.apple.mobilenotes
Photos:	com.apple.mobileslideshow-Photos
Safari:	com.apple.mobilesafari
Stocks:	com.apple.stocks
Settings:	com.apple.Preferences
Weather:	com.apple.weather
YouTube:	com.apple.youtube

Apollo:	com.google.code.apolloim
Balls:	com.grudgnor.Balls
Books:	com.zacharybrewstergeisz.books
Chat:	com.twenty08.MobileChat
Colloquy:	com.googlecode.mcolloquy
Crosswalk:	com.10base-t.iphone.crosswalk
Customize:	com.thespicychicken.customize
Doom:	org.swhite.iphone.doom
FiveDice:	com.borngraphics.fivedice
Finder:	com.googlecode.MobileFinder
iBlackJack:	com.mccarron.iblackjack
iLight:	com.sadun.iLight
Installer:	com.nullriver.iphone.Installer
<pre>Installer(3.0):</pre>	com.apptapp.Installer
iPong:	com.jonathansaggau.iPong
iSplit:	com.kroo.iSplit
iWoman:	com.nullriver.iphone.iWoman
JohnTool:	com.sadun.JohnTool
Labyrinth:	com.loodberg.carl.labyrinth
Lights Off:	org.deliciousmonster.lightsoff
Lockbox:	com.googlecode.iphonelockbox
Mines:	net.mm-3.iphone.mines
MusicQuiz:	iphonemusicquiz.com.google.code
Navizon:	com.mexens.iphone.navizon
NES:	com.natetrue.iphone.nesapp
PDFViewer:	com.sadun.pdfviewer
PigShooter:	com.spiffytech.pigshooter
Preview:	com.google.code.MobilePreview
RSS:	com.google.code.mobile-rss
Services:	com.byhoffman.iphone-apps.services
Sketches:	com.latenitesoft.Sketches
SMBPrefs:	com.apptapp.SummerBoard
Stumbler:	com.googlecode.iphone-wireless.applications.Stumbler
Sudoku:	org.zackb.sudoku
Term-vt100:	com.googlecode.mobileterminal.Term-vt100
Tetrominos:	com.google.code.tetrominos
TextEdit:	com.google.code.MobileTextEdit
ToDoList:	com.include7.mobiletodolist
TTR:	net.ations.cre.ttr
VNsea:	com.creed.vnsea
weDict:	com.hongtao.weDict

For example if I had the installer 3.0 or later application on my iPod but I couldn't see it on this plist I would type This:

▶ Item 12	Dictionary	↑ 1 Key
▶ Item 13	Dictionary	🛟 1 Кеу
w Item 14	Dictionary	🗘 1 Кеу
displayIdentifier	String	com.apptapp.installer

So now it will put my installer icon at the very bottom of the springboard.

Repeat this action as needed, so if you had the stocks application on your iPod but you could not see it on the plist then you would do the same thing only put something else after the identifier:

Like this:

1.

Highlight by single clicking the icon list tab, click actions and add new dictionary

00	N45AP.plist	
Actions 🔽 🚫		Q Search Keys / Values
Add New Dictionary #D		Search
Add New Array 企業D		
K, Add New Key 発K	Class Value	
► Sort %T	Array 🛟 0 Items	Â
▶ capabilities	Dictionary 🛟 1 Key	
▼displayOrder	Dictionary 🛟 3 Keys	
▶ buttonBar	Array \$ 4 Items	
▼iconList	Array 13 Items	
▶ Item 1	Dictionary 🛟 1 Key	
▶ Item 2	Dictionary 🛟 1 Key	
▶ Item 3	Dictionary 🛟 1 Key	
▶ Item 4	Dictionary 🛟 1 Key	
▶ Item 5	Dictionary 🛟 1 Key	
▶ Item 6	Dictionary 🛟 1 Key	
▶ Item 7	Dictionary 🛟 1 Key	
▶ Item 8	Dictionary 🛟 1 Key	
▶ Item 9	Dictionary 🛟 1 Key	
▶ Item 10	Dictionary 🛟 1 Key	
▶ Item 11	Dictionary 🛟 1 Key	
▶ Item 12	Dictionary 🛟 1 Key	¥
		1

2.

Once you add the new dictionary you will have Item then then a number, highlight the item you just created and then go to actions and say new key

	N45AP.plist	t	0
Actions 🔽 🚫			Q Search Keys / Values
Add New Dictionary #D			Search
Add New Array 企業D Add New Key 業K	-		
Ki Pert	Class	Value	
	Array	14 Items	
▶ Item 1	Dictionary	🕈 1 Key	
▶ Item 2	Dictionary	🕈 1 Key	
▶ Item 3	Dictionary	🕈 1 Key	
▶ Item 4	Dictionary	🕈 1 Key	
▶ Item 5	Dictionary	🕈 1 Key	
▶ Item 6	Dictionary	🕈 1 Key	
▶ Item 7	Dictionary	🕈 1 Key	
▶ Item 8	Dictionary	🕈 1 Key	
▶ Item 9	Dictionary	🕈 1 Key	
▶ Item 10	Dictionary	🕈 1 Key	
▶ Item 11	Dictionary	🕈 1 Key	
▶ Item 12	Dictionary	🕈 1 Key	
▶ Item 13	Dictionary	🕈 1 Key	
wltem 14	Dictionary	🕈 1 Key	
New Key	String	:	
▶ special	Array	2 Items	

Now where it has the highlighted text and says New Key type:

displayIdentifier

$\Theta \ominus \Theta$	N45AP.plist	0
Actions 💌 🚫		Q Search Keys / Values
Actions Delete		Search
N45AP.plist	Class Value	
▼iconList	Array 14 liems	
▶ Item 1	Dictionary 🛟 1 Key	
▶ Item 2	Dictionary 🛟 1 Key	
▶ Item 3	Dictionary 🛟 1 Key	ſ
▶ Item 4	Dictionary 🛟 1 Key	
▶ Item 5	Dictionary 🛟 1 Key	
▶ Item 6	Dictionary 🛟 1 Key	
▶ Item 7	Dictionary 🛟 1 Key	
▶ Item 8	Dictionary 🛟 1 Key	
▶ Item 9	Dictionary 🛟 1 Key	
▶ Item 10	Dictionary 🛟 1 Key	
▶ Item 11	Dictionary 🐈 1 Key	
▶ Item 12	Dictionary 🛟 1 Key	
▶ Item 13	Dictionary 🛟 1 Key	
witem 14	Dictionary 🛟 1 Key	
displayIdentifier	String	
▶ special	Array 💠 2 Items	Ŧ

Now for this instance we are adding stocks so we would add

com.apple.stocks

After the display identifier

00	N45AP.plist	
Actions 💌 🚫		Q Search Keys / Values Search
Actions Delete		
N45AP.plist	Class Value	
▼iconList	Array 🛟 14 Items	
▶ Item 1	Dictionary 🛟 1 Key	
▶ Item 2	Dictionary \$ 1 Key	
▶ Item 3	Dictionary 🛟 1 Key	
▶ Item 4	Dictionary 💠 1 Key	
▶ Item 5	Dictionary 🗘 1 Key	
▶ Item 6	Dictionary 🗘 1 Key	
▶ Item 7	Dictionary 🗘 1 Key	
▶ Item 8	Dictionary 🗘 1 Key	
▶ Item 9	Dictionary 🗘 1 Key	
▶ltem 10	Dictionary 🛟 1 Key	
▶ltem 11	Dictionary 🛟 1 Key	
▶ Item 12	Dictionary 🛟 1 Key	
▶ Item 13	Dictionary 🛟 1 Key	
▼ltem 14	Dictionary 🛟 1 Key	
displayIdentifier	String Com.apple.stocks	

So once you've done this and added all of the identifiers for your each of the icons you have on the board (they do not have to be added in the right order)

What you have done is showed that playlist that these are the applications that are ACTUALLY on my iPod, so it knows what's on your iPod.

Now you can rearrange them!

1.

It always helps if you know what order you actually want your icons in so write down the order

2.

Click all of the arrows so it shows the contents of each item:

$\Theta \Theta \Theta$	N45AP.plist		
Actions 💌 🚫		Q Search Keys / Values	
Actions Delete		Search	
N45AP.plist Key	Class Value		
▶ bundles	Array 🛟 0 Items		
▶ capabilities	Dictionary 🛟 1 Key		
▼displayOrder	Dictionary 🛟 3 Keys		
▶ buttonBar	Array 🛟 4 Items		
▼iconList	Array 13 Items		
▼Item 1	Dictionary 🛟 1 Key		
displayIdentifier	String to com.twenty08.MobileChat		
▼ Item 2	Dictionary 🛟 1 Key		
displayIdentifier	String to com.apple.mobilecal		
▼ Item 3	Dictionary 🛟 1 Key		
displayIdentifier	String ¢ com.apple.MobileAddressB	ook	
▼Item 4	Dictionary 🛟 1 Key		
displayIdentifier	String ¢ com.apptapp.Installer		
wltem 5	Dictionary 🛟 1 Key		
displayIdentifier	String ¢ com.apple.youtube		
wltem 6	Dictionary 🛟 1 Key		
displayIdentifier	String ¢ com.apple.stocks		

Now all you have to do is highlight the DISPLAY IDENTIFIER part not the items, drag the one you want into the space you want it, so that you will have 2 in that space then move the one you don't want in that

space to another space, so now all your doing is moving the icons around. REMINDER you will not see a difference on your iPod touch YET! So don't think you're doing it wrong. So go ahead and rearrange your icons, once your done make sure you do NOT have more than one of the display identifiers in one Item, now you can rearrange the icons in your dock just open button bar by clicking the arrow and doing the same thing. You CAN put things that were in your springboard onto your dock like Safari and all that good stuff. Do a final check and make sure you don't have more than one display identifier one item.

Congratulations! That was the hardest part! Im sure your soaking with sweat thinking that your about that close to destroying your iPod but that's just silly thought! (But for the record I'm not responsible for your stupidity). Haha. By the way it's 2:00 in the morning and it's a school night so I'm expecting some thanks for this!

Anywayz. Let's proceed.

Whatever number this is I've lost count.

Save your Plist and quit Pref Setter. Now your cyberduck should be open so this is what you do:

1.

Drag the Plist that you just edited from your desktop to Cyberduck which should be in the exact spot you left it, so it will replace the N45AP plist that's on your iPod. It will replace the one on your iPod but the one on your desktop will remain on your desktop, it should ask to overwrite and hit yes.

2.

Now simple reboot your iPod and your icons should be changed to your pleasure!

OMG I'm going to bed!

Have any questions, comments, concerns or THANKS! please email me at <u>fosephpuccio@gmail.com</u>

Or for a more personal conversation you can IM me over AIM, my account is Monstermac77

I'm so glad I could help!

If you have any questions about the iPod in general you can directed them to me!

I know a good bit about the iPod touch,

Your friend,

Joe